

RECEIVED
CENTRAL FAX CENTER
DEC 05 2006

In the Claims:

Kindly amend the claims as follows:

1-13. (Canceled)

14. (Currently Amended) The apparatus of claim [[13]] 21, wherein the two trap doors are connected to the lid at opposite edges of the lid.

15. (Previously Presented) The apparatus of claim 14, wherein the trap doors are connected to the lid by living hinges.

16-17. (Canceled)

18. (Currently Amended) The apparatus of claim [[13]] 21, wherein the two trap doors are mirror images.

19. (Currently Amended) The apparatus of claim [[13]] 21, wherein the orifice is created at the intersection of the two trap doors.

20. (Previously Presented) The apparatus of claim 19, wherein lobes on each trap door cooperate for holding a leading portion of a towelette.

21. (Previously Presented) Towelette dispenser apparatus comprising:
multiple towelettes having connections between ends of adjacent individual towelettes,
a container for holding the multiple towelettes,
an open end on the container,
a lid connected to the container positioned over the open end of the container,
a cover on the open end for sealing the container,
an orifice in the lid for passing towelettes out of the container,
one or more lobes protruding into the orifice,

wherein a first towelette and a leading portion of a subsequent towelette are pulled through the orifice, and the connections between the first towelette and the subsequent towelette are separated,

wherein a leading portion of the subsequent towelette remains outside of the lid and secured within the orifice, and

wherein the lid comprises two trap doors,

further comprising door lock stops for holding the trap doors in a dispensing position.

22. (Currently Amended) The apparatus of claim [[1]] 21, wherein the cover is connected to the lid by a living hinge.

23. (Currently Amended) The apparatus of claim [[1]] 21, wherein the cover overlies the lid when in a closed position.

24. (Currently Amended) The apparatus of claim [[1]] 21, wherein the lobes pinch the leading portion of a towelette.

25-32. (Canceled)

33. (Currently Amended) The apparatus of claim [[1]] 21, wherein a living hinge connects the lid to the container.

34. (Previously Presented) The apparatus of claim 33, further comprising a slot in the lid for threading towelettes.

35-54. (Canceled)

55. (Currently Amended) The apparatus of claim [[1]] 21, wherein the orifice and lobes are various configurations.

56. (Currently Amended) The apparatus of claim [[1]] 21, wherein the orifice further comprises recesses between the lobes.

57. (Previously Presented) The apparatus of claim 56, wherein the recesses are triangular.

58. (Previously Presented) The apparatus of claim 56, wherein the recesses are rounded.

59. (Currently Amended) The apparatus of claim ~~[[1]]~~ 21, wherein the orifice and lobes are curved lobes between curved slots.

60. (Previously Presented) Towelette dispenser apparatus comprising:
multiple towelettes having connections between ends of adjacent individual towelettes,
a container for holding the multiple towelettes,
an open end on the container,
a lid connected to the container positioned over the open end of the container,
a cover on the open end for sealing the container,
an orifice in the lid for passing towelettes out of the container,
one or more lobes protruding into the orifice,
wherein a first towelette and a leading portion of a subsequent towelette are pulled through the orifice, and the connections between the first towelette and the subsequent towelette are separated,
wherein a leading portion of the subsequent towelette remains outside of the lid and secured within the orifice, and

wherein the orifice and lobes are lobes and wherein triangular recesses are formed in an orifice thermoplastic shelf and below the shelf is an elastomer layer with radial slits.

61. (Cancelled)

62. (Currently Amended) The dispenser of claim ~~[[61]]~~ 60, wherein two dispensing portions are provided, the dispensing portions being mirror-imaged, and the orifice is defined

at the intersection of the dispensing portions by lobes and recesses configured on each of said dispensing portions.

63-64. (Cancelled)

65. (Currently Amended) The apparatus of claim ~~[[64]]~~ 60, wherein the towelette dispenser comprises two opposing flaps hinged from opposite sides of the open end of the container and having adjacent edges over the container, and wherein the opening comprises partial complementary openings formed in the adjacent edges.

66. (Currently Amended) The apparatus of claim ~~[[64]]~~ 60, wherein the ~~series of~~ towelettes ~~comprises~~ comprise a roll of towelettes which are dispensed from a middle of the roll.

67-86. (Canceled)